

Amendments to the Claims

Please amend Claims 1-3, 7, 8, 10, 13 and 14. The Claim Listing below will replace all prior versions of the claims in the application:

Claim Listing

1. (Currently amended) A Programmable Streaming Data Processor (PSDP) which is arranged to perform primitive functions directly on data received from a streaming data interface, PSDP performing initial processing on a set of data comprising:
 - a streaming data interface, for receiving data from a streaming data source;
 - a streaming interface First In First Out (FIFO), arranged for temporarily storing streaming data from the streaming data interface;
 - a data engine, arranged to receive output data from the streaming interface FIFO, the data engine for determining field boundaries therein, and for processing fields to select one or more fields to be output tuples, the data engine also containing logic to determine whether an output tuple is to be selected for further processing by additional Job Processing Units (JPUs), and for asserting a ~~use/lose~~ use or lose decision value according to that determination;
 - a tuple generator for assembling fields into the output tuple, and if the ~~use/lose~~ use or lose decision value indicates that such output tuple is to be discarded, for preventing such tuple set from being transferred from the output FIFO to the memory of the JPU; and
 - an output FIFO device, for forming tuples and temporarily storing them prior to conditionally forwarding them to the JPU.
2. (Currently amended) An apparatus as in claim 1 wherein the ~~use/lose~~ use or lose decision value indicates a result from logic processing of fields read from the streaming data interface.

3. (Currently amended) An apparatus as in claim 1 wherein the ~~use/lose~~ use or lose decision value indicates a result from Transaction Identifier (TID) processing.
4. (Original) An apparatus as in claim 3 wherein the TID processing and data engine logic execute in parallel.
5. (Original) An apparatus as in claim 1 wherein the output tuple is greater in length than an expected predetermined size, and the use/lose decision value is then used to set an overflow field in the output tuple.
6. (Original) An apparatus as in claim 5 wherein the use/lose decision value is not asserted when a buffer local to the programmable data streaming processor is full; and
means for appending an overflow filter bit to a tuple that indicates a transfer of a tuple that should be ignored.
7. (Currently amended) An apparatus as in claim 1 additionally comprising:
a Direct Memory Access (DMA) interface, coupled to the output FIFO, to provide direct access to a memory in the ~~Job Processing Unit~~ JPU.
8. (Currently amended) An apparatus as in claim 1 wherein the ~~use/lose~~ use or lose decision value is used to reset the output FIFO write pointer so any prior fields in the present tuple are discarded.
9. (Previously presented) An apparatus as in claim 1 wherein the overflow filter bit is inserted in a length field appended to record fragments.
10. (Currently amended) An apparatus as in claim 1 wherein an invalid field is appended to a tuple to indicate the results of ~~transaction-ID~~ TID processing.

11. (Previously presented) An apparatus as in claim 10 wherein the invalid field indicates that the TID mode marks return tuple.
12. (Original) An apparatus as in claim 10 wherein the invalid field indicates that the tuple should not have been returned but the output FIFO overflowed.
13. (Currently amended) An apparatus as in claim 1 further comprising:
a register reflecting the final PSDP status which is read by ~~the CPU~~ a Central Processing Unit (CPU) to identify whether any overflow or TID status bits are set in any of the tuples.
14. (Currently amended) An apparatus as in claim 1 wherein the ~~use/lose~~ use or lose decision value represents DeMorgan's Law reduction of multiple instructions.